

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "explicit* <near/1> rout* or er*Isp or er <near/1> Isp"

Your search matched 17 of 1233246 documents.

A maximum of 250 results are displayed, 25 to a page, sorted by Publication year in Descending order.

 e-mail 

» Search Options

[View Session History](#)[New Search](#)

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search

explicit* <near/1> rout* or er*Isp or er <near/1> Isp

 Check to search only within this results setDisplay Format: Citation Citation & Abstract

Select Article Information

 1. A hierarchically distributed network management architecture for GMPLS-based IP multicastingMatsuura, H.; Imanaka, H.; Takami, K.;
Network Operations and Management Symposium, 2004. NOMS 2004. IEEE/IFIP
Volume 1, 19-23 April 2004 Page(s):671 - 684 Vol.1[AbstractPlus](#) | [Full Text: PDF\(576 KB\)](#) IEEE CNF 2. MPLS Based Best Effort Traffic EngineeringRojanarowan, J.; Koehler, B.G.; Owen, H.L.;
SoutheastCon, 2004. Proceedings. IEEE
26-29 Mar 2004 Page(s):239 - 245
Digital Object Identifier 10.1109/SECON.2004.1287923[AbstractPlus](#) | [Full Text: PDF\(1508 KB\)](#) IEEE CNF 3. An infrastructure of distributed network management system for 1Gb/s E-PON using mobile agentsGwan Joong Kim; Tac II Kim; Jea Hoon Yu;
Advanced Communication Technology, 2004. The 6th International Conference on
Volume 2, 2004 Page(s):791 - 796
Digital Object Identifier 10.1109/ICACT.2004.1292978[AbstractPlus](#) | [Full Text: PDF\(389 KB\)](#) IEEE CNF 4. Multi-path constraint-based routing algorithms for MPLS traffic engineeringHo Young Cho; Jae Yong Lee; Byung Chul Kim;
Communications, 2003. ICC '03. IEEE International Conference on
Volume 3, 11-15 May 2003 Page(s):1963 - 1967 vol.3
Digital Object Identifier 10.1109/ICC.2003.1203941[AbstractPlus](#) | [Full Text: PDF\(416 KB\)](#) IEEE CNF 5. Multicast routing simulator over MPLS networksBoudani, A.; Cousin, B.; Jawhar, C.; Doughan, M.;
Simulation Symposium, 2003. 36th Annual
30 March-2 April 2003 Page(s):327 - 334[AbstractPlus](#) | [Full Text: PDF\(251 KB\)](#) IEEE CNF 6. Shared backup protection based on aggregated information in WDM networksTouvet, F.; Harle, D.;
Communications, 2003. ICC '03. IEEE International Conference on
Volume 2, 11-15 May 2003 Page(s):1325 - 1329 vol.2
Digital Object Identifier 10.1109/ICC.2003.1204599[AbstractPlus](#) | [Full Text: PDF\(301 KB\)](#) IEEE CNF 7. GLOBECOM'01. IEEE Global Telecommunications Conference (Cat. No.01CH37270
Global Telecommunications Conference, 2001. GLOBECOM '01. IEEE

Search Results
[BROWSE](#)
[SEARCH](#)
[IEEE XPLORE GUIDE](#)
[SUPPORT](#)

Results for "(type <near/1> length <near/1> value* or tlv<and>mpls or lsp or label* <near/1&...""

 e-mail  printer 

Your search matched 2737 of 1229994 documents.

A maximum of 250 results are displayed, 25 to a page, sorted by Publication year in Descending order.

» Search Options
[View Session History](#)
[New Search](#)
Modify Search

 Check to search only within this results set

 Display Format: Citation Citation & Abstract

» Other Resources
(Available For Purchase)

Top Book Results
[Sourcebook of ATM and IP Internetworking](#)

 by Ahmad, K.;
Hardcover, Edition: 1

[Managing IP Networks](#)

 by Aidarous, S.; Plevyak, T.;
Levine, P.; Martins, J.; Stiller, B.;
Sherif, M. H.; Fumagalli, A.; Aracil, J.; Valcarenghi, L.;
Hardcover, Edition: 1

[View All 2 Result\(s\)](#)
[Select](#) [Article Information](#)
[View: 1-25](#) | [26-50](#) | [51-75](#) | [76-100](#) | [101-125](#)
 1. Contention-Based Limited Deflection Routing Protocol In Optical Burst-Switched Networks

 Lee, S.; Sriram, K.; Kim, H.; Song, J.;
Selected Areas in Communications, IEEE Journal on
Volume 23, Issue 8, Aug. 2005 Page(s):1596 - 1611
Digital Object Identifier 10.1109/JSAC.2005.851742

[AbstractPlus](#) | [Full Text: PDF\(776 KB\)](#) [IEEE JNL](#)
 2. Resolving the Fairness Issues In Bus-Based Optical Access Networks

 Bouabdallah, N.; Beylot, A.-L.; Dotaro, E.; Pujolle, G.;
Selected Areas in Communications, IEEE Journal on
Volume 23, Issue 8, Aug. 2005 Page(s):1444 - 1457
Digital Object Identifier 10.1109/JSAC.2005.851779

[AbstractPlus](#) | [Full Text: PDF\(1360 KB\)](#) [IEEE JNL](#)
 3. Design of a High-Performance RSVP-TE Hardware Signaling Accelerator

 Wang, H.; Veeraraghavan, M.; Karri, R.; Li, T.;
Selected Areas in Communications, IEEE Journal on
Volume 23, Issue 8, Aug. 2005 Page(s):1588 - 1595
Digital Object Identifier 10.1109/JSAC.2005.852241

[AbstractPlus](#) | [Full Text: PDF\(440 KB\)](#) [IEEE JNL](#)
 4. A Link Bundled Auxiliary Graph Model for Constrained Dynamic Traffic Grooming WDM Mesh Networks

 Yao, W.; Ramamurthy, B.;
Selected Areas in Communications, IEEE Journal on
Volume 23, Issue 8, Aug. 2005 Page(s):1542 - 1555
Digital Object Identifier 10.1109/JSAC.2005.851792

[AbstractPlus](#) | [Full Text: PDF\(664 KB\)](#) [IEEE JNL](#)
 5. Guest Editorial Optical Communications and Networking Series

 Chan, V.W.S.W.S.;
Selected Areas in Communications, IEEE Journal on
Volume 23, Issue 8, Aug. 2005 Page(s):1441 - 1443
Digital Object Identifier 10.1109/JSAC.2005.852180

[AbstractPlus](#) | [Full Text: PDF\(288 KB\)](#) [IEEE JNL](#)
 6. Table of contents

 Selected Areas in Communications, IEEE Journal on
Volume 23, Issue 8, Aug. 2005 Page(s):c1 - c4
Digital Object Identifier 10.1109/JSAC.2005.854006

[Full Text: PDF\(46 KB\)](#) [IEEE JNL](#)
7. Network Design and Cost Optimization for Label Switched Multilayer Photonic IP

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

[e-mail](#) [print](#)

Results for "(mpls or lsp or lsr<and>profil*)"

Your search matched 2945 of 1229994 documents.

A maximum of 250 results are displayed, 25 to a page, sorted by Publication year in Ascending order.

» Search Options

[View Session History](#)[New Search](#)

» Other Resources

(Available For Purchase)

Top Book Results

[Next Generation SONET/SDH](#)
by Kartalopoulos, S. V.;
Hardcover, Edition: 1[Sourcebook of ATM and IP Internetworking](#)
by Ahmad, K.;
Hardcover, Edition: 1[View All 2 Result\(s\)](#)

Modify Search

(mpls or lsp or lsr<and>profil*)

>>

 Check to search only within this results setDisplay Format: Citation Citation & Abstract

Select Article Information

View: [< Prev](#) | **76-100** | [101-125](#) | [126-150](#) | [151-175](#) | [1](#) 76. **A peer-to-peer zone-based two-level link state routing for mobile ad hoc networks**Joa-Ng, M.; I-Tai Lu;
Selected Areas in Communications, IEEE Journal on
Volume 17, Issue 8, Aug. 1999 Page(s):1415 - 1425
Digital Object Identifier 10.1109/49.779923[AbstractPlus](#) | [References](#) | [Full Text: PDF\(196 KB\)](#) | [IEEE JNL](#) 77. **Issues on loop prevention in MPLS networks**Ohba, Y.;
Communications Magazine, IEEE
Volume 37, Issue 12, Dec. 1999 Page(s):64 - 68
Digital Object Identifier 10.1109/35.809387[AbstractPlus](#) | [Full Text: PDF\(276 KB\)](#) | [IEEE JNL](#) 78. **MPLS and the evolving Internet architecture**Li, T.;
Communications Magazine, IEEE
Volume 37, Issue 12, Dec. 1999 Page(s):38 - 41
Digital Object Identifier 10.1109/35.809382[AbstractPlus](#) | [Full Text: PDF\(308 KB\)](#) | [IEEE JNL](#) 79. **Sequence MAP decoding of trellis codes for Gaussian and Rayleigh channels**Al-Semari, S.A.; Alajaji, F.; Fuja, T.;
Vehicular Technology, IEEE Transactions on
Volume 48, Issue 4, July 1999 Page(s):1130 - 1140
Digital Object Identifier 10.1109/25.775362[AbstractPlus](#) | [References](#) | [Full Text: PDF\(272 KB\)](#) | [IEEE JNL](#) 80. **MPLS and traffic engineering in IP networks**Awduche, D.O.;
Communications Magazine, IEEE
Volume 37, Issue 12, Dec. 1999 Page(s):42 - 47
Digital Object Identifier 10.1109/35.809383[AbstractPlus](#) | [Full Text: PDF\(388 KB\)](#) | [IEEE JNL](#) 81. **Performance issues in VC-merge capable switches for multiprotocol label switching**Widjaja, I.; Elwalid, A.I.;
Selected Areas in Communications, IEEE Journal on
Volume 17, Issue 6, June 1999 Page(s):1178 - 1189
Digital Object Identifier 10.1109/49.772455[AbstractPlus](#) | [References](#) | [Full Text: PDF\(268 KB\)](#) | [IEEE JNL](#)

Search Results
[BROWSE](#)
[SEARCH](#)
[IEEE XPLOR GUIDE](#)
[SUPPORT](#)

Results for "((mpls or lsp or lsr)<and>(index* or pointer*) <paragraph> (table* or database* or list*...)"

[e-mail](#) [print](#)

Your search matched 316 of 1229994 documents.

 A maximum of 316 results are displayed, 25 to a page, sorted by **Publication year in Ascending order**.

» Search Options
[View Session History](#)
[New Search](#)
Modify Search

 ((mpls or lsp or lsr)<and>(index* or pointer*) <paragraph> (table* or database* or list*... [»](#)
 Check to search only within this results set

 Display Format: Citation Citation & Abstract

» Key
IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[Select](#) Article Information

 View: [< Prev](#) | **76-100** | [101-125](#) | [126-150](#) | [151-175](#) | [176-200](#) | [Next >](#)
76. Joint least squares optimization for robust acoustic crosstalk cancellation

 Ward, D.B.;
 Speech and Audio Processing, IEEE Transactions on
 Volume 8, Issue 2, March 2000 Page(s):211 - 215
 Digital Object Identifier 10.1109/89.824710

[AbstractPlus](#) | [References](#) | [Full Text: PDF\(164 KB\)](#) | [IEEE JNL](#)
77. A scheduling application for WDM optical networks

 Liu, K.H.; Wilson, B.J.; Wei, J.Y.;
 Selected Areas in Communications, IEEE Journal on
 Volume 18, Issue 10, Oct. 2000 Page(s):2041 - 2050
 Digital Object Identifier 10.1109/49.887923

[AbstractPlus](#) | [References](#) | [Full Text: PDF\(328 KB\)](#) | [IEEE JNL](#)
78. Efficient distance measure for quantization of LSF and its Karhunen-Loeve transform parameters

 Hai Le Vu; Lois, L.;
 Speech and Audio Processing, IEEE Transactions on
 Volume 8, Issue 6, Nov. 2000 Page(s):744 - 746
 Digital Object Identifier 10.1109/89.876313

[AbstractPlus](#) | [References](#) | [Full Text: PDF\(104 KB\)](#) | [IEEE JNL](#)
79. Channel optimized predictive vector quantization

 Linden, J.;
 Speech and Audio Processing, IEEE Transactions on
 Volume 8, Issue 4, July 2000 Page(s):370 - 384
 Digital Object Identifier 10.1109/89.848219

[AbstractPlus](#) | [References](#) | [Full Text: PDF\(332 KB\)](#) | [IEEE JNL](#)
80. IP layer restoration and network planning based on virtual protection cycles

 Stamatelakis, D.; Grover, W.D.;
 Selected Areas in Communications, IEEE Journal on
 Volume 18, Issue 10, Oct. 2000 Page(s):1938 - 1949
 Digital Object Identifier 10.1109/49.887914

[AbstractPlus](#) | [References](#) | [Full Text: PDF\(196 KB\)](#) | [IEEE JNL](#)
81. Constrained multicast routing in WDM networks with sparse light splitting

 Xijun Zhang; Wei, J.Y.; Chunming Qiao;
 Lightwave Technology, Journal of
 Volume 18, Issue 12, Dec 2000 Page(s):1917 - 1927
 Digital Object Identifier 10.1109/50.908787

[AbstractPlus](#) | [References](#) | [Full Text: PDF\(204 KB\)](#) | [IEEE JNL](#)

EAST 09/89,650
Doc 9/6/05

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	17003	seo.in.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 10:46
L2	5984	label\$1 ADJ1 switch\$3 OR MPLS OR LSP	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 10:46
L3	✓ 7	L1 AND L2	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 11:51
L4	✓ 179	forward\$3 ADJ2 equivalenc\$4 ADJ2 class\$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 12:10
L5	✓ 119	profil\$3 SAME (index\$3 OR pointer\$3 OR ptr\$1) AND profil\$3 SAME (quality NEAR2 service\$1 OR QoS)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 13:19
L6	✓ 357	(quality NEAR2 service\$1 OR QoS) WITH (index\$3 OR pointer\$1 OR ptr\$1)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 17:46
L7	4966	label\$1 ADJ2 switch\$3 OR MPLS OR tag\$3 ADJ2 switch\$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 13:49
L8	569	peak\$1 ADJ1 data\$1 ADJ1 rate\$1 OR peak\$1 ADJ1 bucket\$1 ADJ1 size\$1 OR commit\$4 ADJ1 data ADJ1 rate\$1 OR commit\$3 ADJ1 bucket\$1 ADJ1 size\$1	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 13:51
L9	✓ 21	L7 AND L8	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 14:17
L11	3018	traffic\$1 NEAR2 (descriptor\$1 OR parameter\$1 OR extension\$1)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 14:18

L12	✓ 246	L7 AND L11	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 14:50
L13	388	type ADJ1 length\$1 ADJ1 value\$1	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 14:50
L14	✓ 74	L7 AND L13	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 16:46
L16	✓ 169	constraint\$1bas\$3 ADJ1 rout\$3 OR constraint ADJ1 bas\$3 ADJ1 rout\$3 OR CR\$1LSP OR CR ADJ1 LSP	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 16:59
L17	✓ 23	explict\$3rout\$3 OR explict ADJ1 rout\$3 OR ER\$1LSP OR ER ADJ1 LSP	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 17:23
L19	327	constraint\$1bas\$3 ADJ1 rout\$3 OR constraint ADJ1 bas\$3 ADJ1 rout\$3 OR CR\$1LSP OR CR ADJ1 LSP OR rsvp\$ite OR rsvp ADj1 te OR resource ADJ1 reservat\$3 ADJ1 protocol ADJ1 traffic\$1 ADJ1 engineer\$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 17:00
L20	✓ 13	L19 AND L17	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 17:45
L21	3278	label\$1 ADJ1 switch\$3 ADJ1 path\$1 OR LSP	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 17:45
L22	30927	(quality NEAR2 service\$1 OR QoS)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 17:46
L23	502	L21 AND L22	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 17:46

L24	✓ 206	L21 SAME L22	US - PGPUB ; USPAT ; EPO ; JPO ; DERWENT ; IBM_TDB	OR	OFF	2005/09/06 17:59
L25	✓ 60	L21 AND L13	US - PGPUB ; USPAT ; EPO ; JPO ; DERWENT ; IBM_TDB	OR	OFF	2005/09/06 17:59
L27	✓ 141	L21 AND L11	US - PGPUB ; USPAT ; EPO ; JPO ; DERWENT ; IBM_TDB	OR	OFF	2005/09/06 18:00
L29	✓ 13	L21 AND L8	US - PGPUB ; USPAT ; EPO ; JPO ; DERWENT ; IBM_TDB	OR	OFF	2005/09/06 18:01